

General Details			Units	Inverter - Cooling Only
Nominal Performance Data	Capacity	TR (Nom.)		4.0
		Cooling	KW	14.0
	Btu/h		47,779	
	EER		w/w	2.97
Indoor Unit Specifications				
Indoor Model			Units	AP48KC1QRA
Electrical Parameters	Power supply		Ph/V/Hz	1Ph/220-240V/50Hz
Performance	Air flow		cfm (H/M/L/SL)	1206/1059/1000/882
			m3/h (H/M/L/SL)	2050/1800/1700/1500
	Sound pressure level (H/M/L/SL)		dB(A)	53/48/45/42
Installation	External dimensions(W/D/H)		mm	600/350/1850
	Shipping dimensions(W/D/H)		mm	693/448/2035
	Net/Shipping weight		kg	59/67
	Wireless Controller		Standard	YL-HBS01
Outdoor Unit Specifications				
Outdoor Model			Units	1U48NC1QRB
Electrical Parameters	Power supply		Ph/V/Hz	3Ph/380-415V/50Hz
Performance	Air flow		cfm (H)	3235
			m3/h (H)	4000
	Sound Pressure Level		dB(A)	61
Installation	External Dimensions(W/D/H)		mm	965/370/950
	Shipping Dimensions(W/D/H)		mm	1050/485/1130
	Net/Shipping Weight		kg	78/90
	Compressor Type		-	Rotary
	Refrigerant Type		-	R-410a
	Refrigerant Liquid Pipe Size		mm	9.52
	Refrigerant Gas Pipe Size		mm	19.05
	Total Pipe Length		m	50
	Max. Pipe Length - Horizontal		m	30
	Max. Pipe Length - Vertical		m	20
Working Temp.	Cooling (Min-Max)		°C	18 ~ 55

Note: Due to our policy of innovations, some specification may be change without any prior information.